




Quaternary
Qal—Alluvium
Qt—Terrace alluvium
Lower Cretaceous
Kft—Fort Terrett Formation
Kgru—Upper Glen Rose Formation
Kgru-a—Informal Kgru map interval;
fossils include echinoids,
gastropods, bivalves,
Porocystis globularis,
and Orbitolina texana.
Kgrl—Lower Glen Rose Formation

Edwards Group = Ks (absent in map area) + Kft



SCALE 1:24 000
CONTOUR INTERVAL 20 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Geology by E. W. Collins
2004



ROAD CLASSIFICATION
Medium-duty ——— Light-duty ———
Unimproved dirt ———
State Route

BANDERA PASS, TEX.
N2945—W9900/7.5
1964
PHOTOREVISED 1992
DMA 6145 : 1 SE—SERIES V882

Part of the geology modified from Rose (1972).